


FORM PTO-1890 (REV. 1-2000)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER 2818-37
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) 09/806055
INTERNATIONAL APPLICATION NO. PCT/IT00/00314	INTERNATIONAL FILING DATE 25 July 2000	PRIORITY DATE CLAIMED 27 July 1999
TITLE OF INVENTION DEVICE FOR MONITORING FERTILITY IN WOMEN BY OBSERVING PHYSICAL CHANGES IN BODY FLUIDS		
APPLICANT(S) FOR DO/EO/US WEISSMAHR		
<p>Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:</p> <ol style="list-style-type: none"> <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. <input type="checkbox"/> The U.S. has been elected by the expiration of 19 months from the priority date (Article 31). A copy of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). <input checked="" type="checkbox"/> has been communicated by the International Bureau. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> <input type="checkbox"/> is attached hereto. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4). <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). <input type="checkbox"/> have been communicated by the International Bureau. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. <input type="checkbox"/> have not been made and will not be made. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). <input type="checkbox"/> A English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). <p>Items 11 To 20 below concern document(s) or information included:</p> <ol style="list-style-type: none"> <input type="checkbox"/> An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included. <input type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. <input type="checkbox"/> A substitute specification. <input type="checkbox"/> A change of power of attorney and/or address letter. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821-1.825. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). <input checked="" type="checkbox"/> Other items or information. PTO-1449/ International Search Report 		

69/806055

JC08 Rec'd PCT/PTO 27 MAR 2001

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) Unknown		INTERNATIONAL APPLICATION NO. PCT/IT00/00314		ATTORNEY'S DOCKET NUMBER 2818-37	
21. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS PTO USE ONLY	
BASIC NATIONAL FEE (37 C.F.R. 1.492(a)(1)-(5): -- Neither international preliminary examination fee (37 C.F.R. 1.482) nor international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO\$1000.00 -- International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO.....\$860.00 -- International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO\$710.00 -- International preliminary examination fee (37 C.F.R. 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4).....\$690.00 -- International preliminary examination fee (37 C.F.R. 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4).....\$100.00 <div style="text-align: right;">ENTER APPROPRIATE BASIC FEE AMOUNT =</div>					
Surcharge of \$130.00 for furnishing the oath or declaration later than <input checked="" type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(e)).					
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total Claims	7	-20 =	0	X	\$18.00
Independent Claims	1	-3 =	0	X	\$80.00
MULTIPLE DEPENDENT CLAIMS(S) (if applicable)					\$270.00
TOTAL OF ABOVE CALCULATIONS =					\$ 1260.00
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.					0.00
SUBTOTAL =					\$ 1260.00
Processing fee of \$130.00, for furnishing the English Translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(f)).					0.00
TOTAL NATIONAL FEE =					\$ 1260.00
Fee for recording the enclosed assignment (37 C.F.R. 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 C.F.R. 3.28, 3.31). \$40.00 per property					0.00
Fee for Petition to Revive Unintentionally Abandoned Application (\$1240.00 - Small Entity = \$620.00)					0.00
TOTAL FEES ENCLOSED =					\$ 1260.00
				Amount to be:	
				refunded	\$
				Charged	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$1260.00 to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. 14-1140 in the amount of \$_____ to cover the above fees. A duplicate copy of this form is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 14-1140. A duplicate copy of this form is enclosed. d. <input checked="" type="checkbox"/> The entire content of the foreign application(s), referred to in this application is/are hereby incorporated by reference in this application.					
NOTE: Where an appropriate time limit under 37 C.F.R. 1.494 or 1.495 has not been met, a petition to revive (37 C.F.R. 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO: NIXON & VANDERHYE P.C. 1100 North Glebe Road, 8 th Floor Arlington, Virginia 22201-4714 Telephone: (703) 816-4000					
				 SIGNATURE	
				Arthur R. Crawford NAME	
				25,327 REGISTRATION NUMBER	
				March 27, 2001 Date	

1000
 900
 800
 700
 600
 500
 400
 300
 200
 100
 0

More particularly, the present invention relates to a device which proves useful and effective in detecting, by means of a totally natural method and without the use of either chemicals or "invasive" procedures, the fertile days and the time of ovulation in women with a very high degree of approximation (such as to allow various applications both in the field of physiological events and in that of medical intervention).

In the light of the present state of our technical and scientific knowledge, it is known that, in the course of the menstrual cycle important, essentially hormone-based physiological transformations take place in the woman for the purposes of optimising the conditions for possible conception. Since this "natural" program has a very strong functional purpose, it comes about that various biological variables related to it, despite the "biological variability" which is always present, take on a character and values which tend to be deterministic and leave little room for chance.

These variables are numerous and different in nature, such as hormone levels, body temperatures, density and viscosity of certain

fluids, i.a. As the days of the cycle leading up to the time of ovulation and then following ovulation pass, these variables change in value and thus reflect actual physical changes in a number of elements of the body.

It is also well known that the woman's fertile period occurs only once in the course of each menstrual cycle. The ovum matures around mid-cycle, roughly 14 days after the start of the last menstruation.

The fertility period, i.e. the days when the ovum can be fertilised, covers a maximum of 5-6 days (with a greater chance of fertilisation on the 2-3 central days of the period).

Identification of this short period of "maximum fertility" is not easy, unless sophisticated, expensive and sometimes also "invasive" methods are used. The various traditional methods based on calculations and subjective observations are very imprecise and not always easy to use. All this often leads to practical consequences of substantial distress in couples that desire to conceive a child or who would like to implement proper family planning on the basis of wholly natural methods. In recent years, then, substantial efforts have been made in an attempt to develop reliable, easy-to-use predictive tests, based on changes in the above-mentioned biological variables which mark the various phases of the cycle in the woman.

One variable often used for this purpose is basal temperature, which, as is known, tends to rise at the time of ovulation. The use of this variable, which can easily be measured with special ad-hoc thermometers, yields information which is sometimes not particularly accurate and is often influenced by other factors.

Another variable considered is the viscosity (either subjectively assessed or measured using an instrument called a viscosimeter) of the uterine cervical mucus, which is not always easy to assess.

All these variables, moreover, require evaluation not only of the "present" value, but also of the variations compared to the last few days. Their reliability in practical use has therefore often proved fairly poor.

One very reliable variable which is less influenced by other factors is the luteinising hormone (LH) level in the female body. It can be measured precisely with sophisticated laboratory equipment and, more recently, with the introduction of special kits on the market, it can also be measured at home; these kits are quite expensive and, for reliable conclusions regarding fertility, again require comparison with results obtained on a number of consecutive days.

Lastly, we should recall that comparative tests performed by authoritative investigators have shown and confirmed that, during the menstrual cycle, the woman's saliva (or other fluids such as cervical mucus) undergoes structural changes as a result of the oestrogen levels circulating in the body; as a result, over a period ranging from 2-3 days before ovulation (oestrogen peak) to 2-3 days after ovulation, a physical phenomenon of microscopic "crystallisation" of saliva occurs, which, in turn, can be recognised and, if properly interpreted, used to understand which phase of the cycle the woman is in from the fertility point of view.

The above-mentioned observations are summarised in the following specification which also allows comparison with the information that the woman can obtain using the various "natural" methods outlined above.

In the light of the present state of our technical and scientific knowledge, it can be stated that this latter effect of crystallisation of saliva, known as the "fern effect", in that the crystals present the appearance of the fronds of a fern, has been used in laboratories and in specialist medical studies in order to "see" the crystalline structure indicating a pre- or post-ovulation condition under the microscope, thus

allowing conclusions to be drawn as to the woman's fertility status. Small microscopes for personal use have also been produced for said purpose.

The above-mentioned approach also affords advantages particularly when used in conjunction with other natural methods, but it also presents a number of drawbacks related mainly to the need to perform calculations and take account of the results of previous days, as well as a certain amount of objective difficulty in collecting samples of saliva (which prove hard to compare) in a simple, standardised manner over time.

The object of the present invention is a device suitable for detecting changes in the "state" of fluids, such as saliva, in response to a rapid increase in oestrogen levels in the body and other changes closely linked to the approach and occurrence of the physiological phenomenon of ovulation (which, as already mentioned, is a phenomenon with an intense deterministic component, that strongly influences the changes observed).

More particularly, the object of the present invention is a kit as described in the preamble of claim 1 attached hereto, characterised in the characterising clause of the same claim.

The present invention makes it possible to overcome the various limitations of the above-mentioned systems (difficulty in collecting standardised samples of saliva or other fluids; poor sensitivity related to visual observation of saliva placed on surfaces with undefined limits, such as slides, lenses or the like; the need to save the results of preceding days with the difficulty of detecting the onset of changes which are not particularly marked as compared to previous findings).

In fact, the object of the present invention consists in a kit made up of:

- a device for collecting and storing samples consisting of a set of flat plate-shaped supports (hereinafter called "petals") made of special

material, as specified here below, with an entirely original design which enables the fluid samples (saliva or other fluids) to be collected in a homogenous, standardised manner by implementing a kind of automatic mechanism as will be explained later in this description. Said set of petals makes it possible to obtain: greater reliability of results due to the standardised collection of fluid in constant amounts; greater sensitivity due both to the quality of the sample and to the way the petal is constructed, with the possibility of easy comparison with the results of groups of subsequent days with immediate detection of any changes and with the further possibility of saving indefinitely the effective results ("values" of the variables used, with the consequent possibility of comparing them over time with later cycles, checks, interpolations and extrapolations);

- a petal readout device consisting in a viewer of appropriate shape, as described here below, in which the petals can be inserted for the purposes of the optical or electrical or mixed optical-electrical detection of the crystallisation of saliva or other fluids. The mixed system may substantially enhance the sensitivity of the device with only a slight increase in cost, inasmuch as the electrical component can be realised at only limited extra expense.

A preferred embodiment of the kit according to the invention will be described in greater detail here below, making reference to the attached drawings which represent:

- in Figure 1, the longitudinal section of a viewer according to the invention in which a flat plate-shaped support (or "petal") is inserted for physiological fluid samples;
- in Figure 2, the plan view of one of said petals according to the invention;
- in Figure 3, the cross sectional view of the same petal;
- in Figure 4, a sequence of images obtained optically with the viewer in Figure 1, showing an example of successive changes in the image over a period concluding with ovulation; and
- in Figure 5, a graph showing the trend of the ovulation phase during the menstrual cycle of a woman.

A spring clip 1m holds petal 3 in a fixed position after its insertion in compartment 2, while two projecting sidepieces, in the form of the two fins 3t, act as end-stops or locking elements in contact with the outer edges of said compartment 2.

The system produced presents undoubted advantages compared to previous systems and allows any woman to carry out the simple, inexpensive and continuous monitoring of her fertility status with very precise identification of the time of ovulation.

The multi-petal system (a complete set contains 32 petals with a container, not illustrated here, for their collection) allows sample collection and thus the monitoring of the history of an entire cycle (or even of several cycles), enabling the woman to trace the changes in the

state of crystallisation of saliva which constitute the real marker showing when ovulation is imminent.

The sequence of images presented in Figure 4, detected optically using the above-mentioned viewer provides an example of these variations in a "typical" cycle over a period culminating in ovulation.

It will easily be understood that the effective information content lies in detection of the changes, since a certain amount of "random noise" will always be present in any single "current" image. It is well known, in fact, that the human sensory system is much more capable of detecting changes in an image than its specific descriptive content.

It is also very important to achieve a kind of "automation" in the distribution of the saliva collected on the surface of the petal. This has been achieved, as mentioned above, by producing the central saliva trap 2 with a specially designed profile which exploits the surface tension and causes the saliva deposited in the trap to spread regularly and consistently in a uniform manner inside the trap, with a flat area located at the centre of the visual field of the viewer.

The elements listed here above constitute the original features of the multi-petal system according to the invention. Viewer 1 is specially designed to receive the petals and detect the crystallisation patterns of saliva or other fluids basically by means of optical readout, but also, as we shall see here below, with the additional possibility of obtaining confirmation by the quantitative assessment of an electrical magnitude consisting in a conductivity parameter for the saliva contained in the petal, the value of which may change appreciably and rapidly when a phenomenon of microcrystallisation of the saliva occurs. This dual ability to detect changes related to crystallisation (with a consequent significant increase in the sensitivity of the method) constitutes an additional original feature of the kit, to which should be added the original mode of inserting, centring and locking petal 3, which thus remains optimally positioned for the optical readout.

Kit 11 comprises a container (not illustrated) for the collection of a set of 32 petals, all produced with technical material characteristics specified for each production batch, such as to guarantee a percentage of impurities which is below the predetermined threshold.

Said container can be of the known multi-pocket type and made of soft material.

As already mentioned, for the assessment of the electrical parameters of physiological fluids such as saliva, urine, cervical mucus, etc., a sample of which has been deposited on petal 3, the inventor of the present invention has provided for the application, on both sides of each petal 3, preferably at the level of said locking fins 3t, of two inserts 4 and 5, made of conductive material, with one end in contact with fluid F. These inserts 4 and 5 can be connected up to a voltage generator and the electrical magnitude of the current passed through fluid F can be measured and assessed for the purposes of identifying the corresponding potential fertility level.

The kit which is the object of the present invention allows maximum detection of changes in the physical state of the biological fluid (saliva or other fluid) for numerous applications which are inexpensive and easy to implement by means of the kit.

The use of the kit presents no difficulties and can be managed by the woman concerned without the aid of her doctor. However, it also makes for an invaluable exchange of information between doctor and patient in the context of various physiological or clinical problems. The use of the system can be summarised in the following operations.

The saliva is collected on a finger which has been washed to eliminate all impurities (the woman must avoid collecting saliva immediately after consuming food or appreciable amounts of alcohol, or after smoking a substantial number of cigarettes). The same procedures are adopted for the collection of cervical mucus.

The saliva is left to dry for a few minutes (once dried, the sample conserves its inner crystallisation for a longer period). To eliminate it, all that is necessary is to rinse it in warm water.

One then proceeds with the direct visual readout, which enables the woman to observe and assess the image which, according to the phase of the menstrual cycle, will resemble one of the four images illustrated in Figure 4. Obviously, these images can also be collected photographically or "digitised" by means of a suitable electronic interface with the possibility of easy subsequent recall, without having to reinsert the petal, for the purpose of comparing results on different days.

The main applications for which the system described here above can be used and for which the system has been successfully tried are the following.

Identification of the day of ovulation

This application is implemented by detecting the crystallisation image every day after the start of the menstrual period until such time as the image is seen to pass from type 3 to type 4 (Figure 4). The finding is also confirmed by the fact that on the following days the image will revert to type 3. The days straddling the time of identification of the day of ovulation constitute the ideal time for conception.

Monitoring of fertile periods

The daily collection of samples and the day-by-day comparison of petals makes it possible to check the changes in image from type 1 and/or type 2 to type 3 and ultimately to type 4. The time at which this transition occurs may be regarded as the start of the fertile period which will continue after ovulation until the image changes back to types 2 and 1.

Control of pre-menopause irregular cycles

This application is implemented by testing the samples every day and observing all the petals after completing sample collection so as to establish whether the crystallisation occurs in a regular manner (using + or - to indicate early or late crystallisation, as the case may be), as, for instance, illustrated schematically in Figure 1. If crystallisation does not occur at any time in one or more cycles, this will be a clear indicator of a hormone abnormality which the specialist will need to investigate.

Estimate of the probable sex of the newborn at conception

Various researchers have shown that the sex of the foetus is determined by the type of spermatozoon that fertilises the ovum. Spermatozoa carrying male or female sexual chromosomes have different survival times. The result is that if conception occurs early

(shortly after ovulation) there is a greater likelihood that it will be produced by "female"-type spermatozoa, whereas, if conception occurs later in relation to ovulation it is more likely to have been produced by "male"-type spermatozoa.

The system produced with the kit of the present invention consists in taking several readouts a day starting from the time the image passes from type 2 to type 3, i.e. in order to identify exactly the time of day when it passes from type 3 to type 4. This observation may allow estimation of the time of ovulation to within approximately 12 hours. This information in turn allows the couple to implement behaviour strategies which will help to avoid conception in the time range when the more "desired" sex is less likely.

Figure 5 presents a graph, based on readouts obtained with a kit according to the present invention, showing the trend of the ovulation phase during the woman's menstrual cycle.

Given here below is a summary of the results of a number of "controlled" tests performed using the method described above in some of its possible applications.

090055 090055

RESEARCH COMPARING VARIOUS METHODS FOR
DETERMINING THE DAY OF OVULATION (UKRAINE)

Aim of the research: identifying the ovulation phase comparing the saliva crystallisation method with various other "physiological" methods (cervical mucus testing, basal temperature, pupil measurement, oestrogen assay) in a group of about 500 women.

Country	Ukraine
Date of study	1993-94
N. of researchers	8
N. of women	514 (aged 15-46)
Cycles observed	5,498 (mean: 10.7)
Dropouts	42 (8.2%)
Results:	
Crystallisation ⁽¹⁾	428 (91%)
Cervical mucus ⁽²⁾	398 (84%)
Pupil measurement ⁽³⁾	364 (77%)
Oestrogen assay ⁽⁴⁾	472 (100%)

⁽¹⁾ Cases in which the fertile phase (ovulation period) was detected by crystallisation of saliva, coinciding with oestrogen levels ⁽⁴⁾ in the appropriate range: peak value \pm 10%.

⁽²⁾ Detection of the fertile phase according to the Billings Method, as checked by oestrogen levels ⁽⁴⁾: peak value \pm 15%.

⁽³⁾ Detection of pupil dilatation, as checked by oestrogen values ⁽⁴⁾: peak value \pm 10%.

RESEARCH COMPARING VARIOUS METHODS FOR
DETERMINING THE DAY OF OVULATION (CZECH REPUBLIC)

Aim of the research: identifying the ovulation phase comparing the monitoring of crystallisation of saliva with three other methods (folliculometry, basal temperature, hormone test) in a group of 48 women observed for a period of 5 months.

Country	Czech Republic
Date of study	1992
N. of researchers	2
N. of women	48 (aged 16-45)
Cycles observed	5
Dropouts	0
Results:	
Crystallisation ⁽¹⁾	48 (100%)
Folliculometry ⁽¹⁾	48 (100%)
Basal temperature ⁽²⁾	36 (75%)
Hormone test ⁽³⁾	48 (100%)

Correlation: 100%

⁽¹⁾ Cases in which the ovulation phase was precisely identified by crystallisation of saliva, coinciding perfectly with folliculometry results.

⁽²⁾ Cases in which a rise in temperature of at least 0.2°C was detected corresponding to the ovulation phase as detected by folliculometry.

⁽³⁾ Tested by hormone assay.


The data shown demonstrate the excellent application capability of the method described above for obtaining reliable results of practical utility.

1. A kit (11) for the detection of characteristics and parameters of body fluids such as saliva, urine and cervical mucus for the purposes of studying and identifying fertility periods in women, comprising a set of flat plate-shaped supports (3) for samples of said body fluids (F) and a viewer (1) provided with enlargement means, characterised in that each of said flat plate-shaped supports (3) for the body fluid (F) comprises a shallow basin or trap (3p) with a convex bottom entirely surrounded by a raised rim (3r) and is equipped with locking fins (3t) suitable for coupling with structural elements present on said viewer (1) so that it is irreversibly locked onto the latter in a desired relative position.
2. The kit according to claim 1, in which each of said flat plate-shaped supports (3) is provided with one or more projecting fins (3t) which act as end-stops and locking elements in contact with the outer edges of a compartment (2) in said viewer (1) which is suitable for containing it.
3. The kit according to anyone of the preceding claims, further comprising a tension generator device, and in which at least two inserts (4, 5) made of conductive material are fitted on either side of said flat plate-shaped supports (3) for samples of body fluid for connection to the poles of said tension generator in order to measure electrical-type magnitudes of a current passing through said body fluid (F).
4. The kit according to anyone of the preceding claims, in which said flat plate-shaped supports (3) for samples of body fluid (F) are made of high-transparency polystyrene.
5. The kit according to anyone of the preceding claims, which comprises a set of several flat plate-shaped supports (3) and a suitable container for said supports.

6. The kit according to anyone of the preceding claims, in which said flat plate-shaped supports (3) making up this set are 32 in number.

TOOEEA" 33050260

FIG. 1






FIG. 2




FIG. 3


FIG. 4



1	2	3	4
No fern-type crystals. No branches. Conception impossible	Few crystals. Few stalks. Conception very unlikely but not impossible.	Fern-leaf crystals. Conception possible.	Large crystals. Fern effect. Conception highly likely.
(-)	(+)	(++)	(+++)

09/806055

Self-monitoring of fertility: ovulation phase trend during menstrual cycle



Case No. _____

Nixon & Vanderhye P.C. (12/97)

RULE 63 (37 C.F.R. 1.63)
**DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

"Device for monitoring fertility in women and for identifying the monthly ovulation phase by observing physical changes in body fluids." (Kristali)

the specification of which (check applicable box(es)):

☐ is attached hereto

☐ was filed on _____

as U.S. Application Serial No. _____

☒ was filed as PCT International application No. _____

PCT/IT 00/00314

on 25 July 2000

and (if applicable to U.S. or PCT application) was amended on _____

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with 37 C.F.R. 1.56. I hereby claim foreign priority benefits under 35 U.S.C. 119/365 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed or, if no priority is claimed, before the filing date of this application:

Priority Foreign Application(s):

Application Number

Country

Day/Month/Year Filed

1381/99

Switzerland

27.07.1999

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

Application Number

Date/Month/Year Filed

I hereby claim the benefit under 35 U.S.C. 120/365 of all prior United States and PCT international applications listed above or below and, insofar as the subject matter of each of the claims of this application is not disclosed in such prior applications in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose material information as defined in 37 C.F.R. 1.56 which occurred between the filing date of the prior applications and the national or PCT international filing date of this application:

Prior U.S./PCT Application(s):

Application Serial No.

Day/Month/Year Filed

Status: patented
pending, abandoned

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon. And I hereby appoint **NIXON & VANDERHYE P.C., 1100 North Glebe Rd., 8th Floor, Arlington, VA 22201-4714, telephone number (703) 816-4000 (to whom all communications are to be directed)**, and the following attorneys thereof (of the same address) individually and collectively my attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith and with the resulting patent: Arthur R. Crawford, 25327; Larry S. Nixon, 25640; Robert A. Vanderhye, 27076; James T. Hosmer, 30184; Robert W. Faris, 31352; Richard G. Besha, 22770; Mark E. Nusbaum, 32348; Michael J. Keenan, 32106; Bryan H. Davidson, 30251; Stanley C. Spooner, 27393; Leonard C. Mitchard, 29009; Duane M. Byers, 33363; Jeffry H. Nelson, 30481; John R. Lastova, 33149; H. Warren Burnam, Jr., 29366; Thomas E. Byrne, 32205; Mary J. Wilson, 32955; J. Scott Davidson, 33489; Alan M. Kagen, 36178; William J. Griffin, 31260; Robert A. Molan, 29834; B. J. Sadoff, 36663; James D. Berquist, 34776; Updeep S. Gill, 37334.

Inventor's Signature:

Date: MARCH 20, 2001

Inventor:

Joseph A.

WEISSMAHR

Swiss

Residence: (city)

Zurich

(state/country)

Switzerland

Post Office Address:

Loorenrain Strasse

(Zip Code)

8053

Inventor's Signature:

Date:

Inventor:

J. A. Weissmahr

(last)

(citizenship)

Residence: (city)

LOORENRRAIN 17, 8053 ZURICO

(state/country)

Post Office Address:

(Zip Code)

Inventor's Signature:

Date:

Inventor:

(first)

MI

(last)

(citizenship)

Residence: (city)

(state/country)

Post Office Address:

(Zip Code)

FOR ADDITIONAL INVENTORS, check box ☐ and attach sheet with same information and signature and date for each.